

**ANALYZED BY:**

 Anresco Laboratories  
 1375 Van Dyke Avenue,  
 San Francisco, CA 94124  
 C8-0000052-LIC

**DISTRIBUTOR:**

 Se7enleaf LLC (L3)  
 3505 Cadillac Avenue, Suite L3  
 Costa Mesa 92626  
 C11-0000287-LIC

**MANUFACTURER:**

 Se7enleaf LLC (L3)  
 3505 Cadillac Avenue, Suite L3  
 Costa Mesa 92626  
 CDPH-10003326

**SAMPLE INFORMATION**

**Sample No.:** 1179273  
**Product Name:** VETCBD REGULAR STRENGTH 250MG CBD 2OZ CANNABIS TINCTURE  
**Matrix:** Orally Consumed Concentrate (Tincture)  
**Lot #:** V CBD230801A  
**Product-Batch Size (Units):** 3280

**Sample Increments:** 20  
**Sample Weight / Increment (g):** 60  
**Total Sample Weight (g):** 1200  
**Date Collected:** 10/27/2023  
**Date Received:** 10/30/2023  
**Date Reported:** 11/01/2023

**TEST SUMMARY**

|                                  |        |                                 |        |
|----------------------------------|--------|---------------------------------|--------|
| <b>Cannabinoid Profile:</b>      | ✔ Pass | <b>Microbiological Screen:</b>  | ✔ Pass |
| <b>Pesticide Residue Screen:</b> | ✔ Pass | <b>Residual Solvent Screen:</b> | ✔ Pass |
| <b>Heavy Metal Screen:</b>       | ✔ Pass | <b>Foreign Material:</b>        | ✔ Pass |
| <b>Mycotoxin Screen:</b>         | ✔ Pass | <b>Overall:</b>                 | ✔ Pass |

**Cannabinoid Profile** ✔ Pass

11/01/2023

**Method:** MF-CHEM-15  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection** 0.067 mg/g  
**Limit of Quantification** 0.2 mg/g

| Cannabinoid                   | mg/g                      | %     | mg/ml | mg/package | Labeled mg/package | % Difference (mg/package) | Status |
|-------------------------------|---------------------------|-------|-------|------------|--------------------|---------------------------|--------|
| Δ8-THC                        | ND                        | ND    | ND    | ND         | -                  | -                         | -      |
| Δ9-THC                        | 0.24                      | 0.024 | 0.22  | 12.97      | 12.5               | 3.77                      | Pass   |
| Δ9-THCA                       | ND                        | ND    | ND    | ND         | -                  | -                         | -      |
| THCV                          | ND                        | ND    | ND    | ND         | -                  | -                         | -      |
| THCVA                         | ND                        | ND    | ND    | ND         | -                  | -                         | -      |
| CBD                           | 4.38                      | 0.438 | 4.00  | 240.22     | 250                | 3.91                      | -      |
| CBDA                          | ND                        | ND    | ND    | ND         | -                  | -                         | -      |
| CBC                           | <LOQ                      | <LOQ  | <LOQ  | <LOQ       | -                  | -                         | -      |
| CBCA                          | ND                        | ND    | ND    | ND         | -                  | -                         | -      |
| CBDV                          | <LOQ                      | <LOQ  | <LOQ  | <LOQ       | -                  | -                         | -      |
| CBG                           | <LOQ                      | <LOQ  | <LOQ  | <LOQ       | -                  | -                         | -      |
| CBGA                          | ND                        | ND    | ND    | ND         | -                  | -                         | -      |
| CBN                           | ND                        | ND    | ND    | ND         | -                  | -                         | -      |
| Total THC                     | 0.24                      | 0.024 | 0.22  | 12.97      | -                  | -                         | -      |
| Total CBD                     | 4.38                      | 0.438 | 4.00  | 240.22     | -                  | -                         | -      |
| Total Cannabinoids            | 4.62                      | 0.462 | 4.22  | 253.20     | -                  | -                         | -      |
| Sum of Cannabinoids           | 4.62                      | 0.462 | 4.22  | 253.20     | -                  | -                         | -      |
| <b>Label Claims</b>           | 250mg CBD and 12.5 mg THC |       |       |            |                    |                           |        |
| <b>Package Weight (g)</b>     | 54.846                    |       |       |            |                    |                           |        |
| <b>g/ml Conversion Factor</b> | 0.9141                    |       |       |            |                    |                           |        |

Total THC = Δ9-THC + (0.877 \* Δ9-THCA)  
 Total CBD = CBD + (0.877 \* CBDA)  
 Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

**Microbiological Screen** ✔ Pass

11/01/2023

| Analyte    | Method       | Findings | Status |
|------------|--------------|----------|--------|
| Salmonella | AOAC 2016.01 | Negative | Pass   |
| STEC       | 3M MDS STEC  | Negative | Pass   |

**Pesticide Residue Screen** ✔ Pass

11/01/2023

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte                 | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-------------------------|----------------|-----------------|--------------|--------|
| Abamectin               | 0.04/0.10      | ND              | 0.3          | Pass   |
| Acephate                | 0.02/0.06      | ND              | 5.0          | Pass   |
| Acequinocyl             | 0.04/0.10      | ND              | 4.0          | Pass   |
| Acetamiprid             | 0.02/0.06      | ND              | 5.0          | Pass   |
| Aldicarb                | 0.02/0.06      | ND              | 0.02         | Pass   |
| Azoxystrobin            | 0.02/0.06      | ND              | 40.0         | Pass   |
| Bifenazate              | 0.02/0.06      | ND              | 5.0          | Pass   |
| Bifenthrin              | 0.04/0.10      | ND              | 0.5          | Pass   |
| Boscalid                | 0.02/0.06      | ND              | 10.0         | Pass   |
| Captan                  | 0.2/0.6        | ND              | 5.0          | Pass   |
| Carbaryl                | 0.02/0.06      | ND              | 0.5          | Pass   |
| Carbofuran              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Chlorantraniliprole     | 0.02/0.06      | ND              | 40.0         | Pass   |
| Chlordane               | 0.02/0.06      | ND              | 0.02         | Pass   |
| Chlorfenapyr            | 0.02/0.08      | ND              | 0.02         | Pass   |
| Chlorpyrifos            | 0.02/0.06      | ND              | 0.02         | Pass   |
| Clofentezine            | 0.02/0.06      | ND              | 0.5          | Pass   |
| Coumaphos               | 0.02/0.06      | ND              | 0.02         | Pass   |
| Cyfluthrin              | 0.10/0.30      | ND              | 1.0          | Pass   |
| Cypermethrin            | 0.10/0.30      | ND              | 1.0          | Pass   |
| Daminozide              | 0.02/0.06      | ND              | 0.02         | Pass   |
| DDVP (Dichlorvos)       | 0.02/0.06      | ND              | 0.02         | Pass   |
| Diazinon                | 0.02/0.06      | ND              | 0.2          | Pass   |
| Dimethoate              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Dimethomorph            | 0.02/0.06      | ND              | 20.0         | Pass   |
| Ethoprop(hos)           | 0.02/0.06      | ND              | 0.02         | Pass   |
| Etofenprox              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Etoxazole               | 0.02/0.06      | ND              | 1.5          | Pass   |
| Fenhexamid              | 0.02/0.06      | ND              | 10.0         | Pass   |
| Fenoxycarb              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Fenpyroximate           | 0.02/0.06      | ND              | 2.0          | Pass   |
| Fipronil                | 0.02/0.06      | ND              | 0.02         | Pass   |
| Flonicamid              | 0.02/0.06      | ND              | 2.0          | Pass   |
| Fludioxonil             | 0.02/0.06      | ND              | 30.0         | Pass   |
| Hexythiazox             | 0.02/0.06      | ND              | 2.0          | Pass   |
| Imazalil                | 0.02/0.06      | ND              | 0.02         | Pass   |
| Imidacloprid            | 0.02/0.06      | ND              | 3.0          | Pass   |
| Kresoxim Methyl         | 0.02/0.06      | ND              | 1.0          | Pass   |
| Malathion               | 0.02/0.06      | ND              | 5.0          | Pass   |
| Metalaxyl               | 0.02/0.06      | ND              | 15.0         | Pass   |
| Methiocarb              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Methomyl                | 0.02/0.06      | ND              | 0.1          | Pass   |
| Methyl parathion        | 0.02/0.06      | ND              | 0.02         | Pass   |
| Mevinphos               | 0.02/0.06      | ND              | 0.02         | Pass   |
| Myclobutanil            | 0.02/0.06      | ND              | 9.0          | Pass   |
| Naled                   | 0.02/0.06      | ND              | 0.5          | Pass   |
| Oxamyl                  | 0.02/0.06      | ND              | 0.2          | Pass   |
| Paclobutrazol           | 0.02/0.06      | ND              | 0.02         | Pass   |
| Pentachloronitrobenzene | 0.04/0.10      | ND              | 0.2          | Pass   |
| Permethrins             | 0.10/0.30      | ND              | 20.0         | Pass   |
| Phosmet                 | 0.02/0.06      | ND              | 0.2          | Pass   |
| Piperonyl Butoxide      | 0.02/0.06      | ND              | 8.0          | Pass   |
| Prallethrin             | 0.04/0.10      | ND              | 0.4          | Pass   |
| Propiconazole           | 0.02/0.06      | ND              | 20.0         | Pass   |
| Propoxur                | 0.02/0.06      | ND              | 0.02         | Pass   |
| Pyrethrins              | 0.15/0.50      | ND              | 1.0          | Pass   |
| Pyridaben               | 0.02/0.06      | ND              | 3.0          | Pass   |
| Spinetoram              | 0.02/0.06      | ND              | 3.0          | Pass   |
| Spinosad                | 0.02/0.06      | ND              | 3.0          | Pass   |
| Spiromesifen            | 0.04/0.10      | ND              | 12.0         | Pass   |
| Spirotetramat           | 0.02/0.06      | ND              | 13.0         | Pass   |
| Spiroxamine             | 0.02/0.06      | ND              | 0.02         | Pass   |
| Tebuconazole            | 0.02/0.06      | ND              | 2.0          | Pass   |
| Thiacloprid             | 0.02/0.06      | ND              | 0.02         | Pass   |
| Thiamethoxam            | 0.02/0.06      | ND              | 4.5          | Pass   |

| Analyte         | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-----------------|----------------|-----------------|--------------|--------|
| Trifloxystrobin | 0.02/0.06      | ND              | 30.0         | Pass   |

## Residual Solvent Screen ✔ Pass

11/01/2023

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte                              | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm)    | Status |
|--------------------------------------|---------------|----------------|----------------|--------|
| 1,2-Dichloroethane                   | 0.2/0.5       | ND             | 1              | Pass   |
| Acetone                              | 67/200        | ND             | 5000           | Pass   |
| Acetonitrile                         | 67/200        | ND             | 410            | Pass   |
| Benzene                              | 0.2/0.5       | ND             | 1              | Pass   |
| n-Butane                             | 67/200        | ND             | 5000           | Pass   |
| Chloroform                           | 0.2/0.5       | ND             | 1              | Pass   |
| Ethanol                              | 67/200        | ND             | Not Applicable | Pass   |
| Ethyl acetate                        | 67/200        | ND             | 5000           | Pass   |
| Ethyl ether                          | 67/200        | ND             | 5000           | Pass   |
| Ethylene oxide                       | 0.2/0.5       | ND             | 1              | Pass   |
| n-Heptane                            | 67/200        | ND             | 5000           | Pass   |
| n-Hexane                             | 67/200        | ND             | 290            | Pass   |
| Isopropyl alcohol                    | 67/200        | ND             | 5000           | Pass   |
| Methanol                             | 67/200        | ND             | 3000           | Pass   |
| Methylene chloride                   | 0.2/0.5       | ND             | 1              | Pass   |
| n-Pentane                            | 67/200        | ND             | 5000           | Pass   |
| Propane                              | 67/200        | ND             | 5000           | Pass   |
| Toluene                              | 67/200        | ND             | 890            | Pass   |
| Total xylenes (ortho-, meta-, para-) | 67/200        | ND             | 2170           | Pass   |
| Trichloroethylene                    | 0.2/0.5       | ND             | 1              | Pass   |

## Heavy Metal Screen ✔ Pass

11/01/2023

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|----------------|-----------------|--------------|--------|
| Arsenic | 0.02/0.05      | ND              | 1.5          | Pass   |
| Cadmium | 0.02/0.05      | ND              | 0.5          | Pass   |
| Mercury | 0.02/0.05      | ND              | 3            | Pass   |
| Lead    | 0.02/0.05      | ND              | 0.5          | Pass   |

## Foreign Material ✔ Pass

11/01/2023

Method: MF-MACRO-5

| Analyte                        | Findings | Limit    | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND       | 25%      | Pass   |
| Mold                           | ND       | 25%      | Pass   |
| Imbedded Foreign Material      | ND       | 25%      | Pass   |
| Insect Fragment                | ND       | 1 per 3g | Pass   |
| Hair                           | ND       | 1 per 3g | Pass   |
| Mammalian Excreta              | ND       | 1 per 3g | Pass   |

## Mycotoxin Screen ✔ Pass

11/01/2023

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) &amp; Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte          | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg) | Status |
|------------------|-----------------|------------------|---------------|--------|
| Aflatoxin B1     | 2/5             | ND               | -             | -      |
| Aflatoxin B2     | 2/5             | ND               | -             | -      |
| Aflatoxin G1     | 2/5             | ND               | -             | -      |
| Aflatoxin G2     | 2/5             | ND               | -             | -      |
| Total Aflatoxins | 8/20            | ND               | 20            | Pass   |
| Ochratoxin A     | 6/20            | ND               | 20            | Pass   |

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

All LQC samples were performed and met the acceptance criteria in CCR Title 4 Division 19, Chapter 6, Article 7, §15730, pursuant to §15726.(e)(13).

Reported by

  


Marybel Mendez  
Compliance Manager

November 01, 2023



Scan to verify