

### **ANALYZED BY:**

Anresco Laboratories 1375 Van Dyke Avenue, San Francisco, CA 94124 C8-0000052-LIC



#### DISTRIBUTOR:

Se7enLeaf 3505 Cadillac Avenue M101 Costa Mesa 92868 C11-0000123-LIC

**Mycotoxin Screen:** 

#### **MANUFACTURER:**

Se7enLeaf 3505 Cadillac Avenue M101 Costa Mesa, California 92886 CPDH-10002469

### SAMPLE INFORMATION

Sample No.: Product Name: Matrix: Lot #: Product- Batch Size (Units):	1223775 VETCBD EXTRA 500MG CBD 2CC CANNABIS TINC Orally Consume Concentrate (Ti VCBD050124D 1794	DZ CTURE ed	Sample Increments: Sample Weight / Increment (g): Total Sample Weight (g): Date Collected: Date Received: Date Reported:	13 56.7 737.1 06/07/2024 06/09/2024 06/09/2024
TEST SUMMAR Cannabinoid Prof Pesticide Residue Heavy Metal Scree	ile: OP Screen: OP	ass	Microbiological Screen: Residual Solvent Screen: Foreign Material:	© Pass © Pass © Pass

**Overall:** 

**Pass** 

### Cannabinoid Profile Seas

Method: MF-CHEM-15

**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)

Cannabinoid	mg/g	%	mg/ml	mg/package	Labeled mg/package	% Difference (mg/ package)	Status
Δ8-THC	ND	ND	ND	ND	-	-	-
Δ9-THC	0.86	0.086	0.78	47.07	50	5.87	Pass
Δ9-THCA	ND	ND	ND	ND	-	-	-
THCV	ND	ND	ND	ND	-	-	-
THCVA	ND	ND	ND	ND	-	-	-
CBD	8.70	0.870	7.95	477.26	500	4.55	-
CBDA	ND	ND	ND	ND	-	-	-
CBC	0.34	0.034	0.31	18.65	-	-	-
CBCA	ND	ND	ND	ND	-	-	-
CBDV	0.08	0.008	0.07	4.20	-	-	-
CBG	0.15	0.015	0.13	8.04	-	-	-
CBGA	ND	ND	ND	ND	-	-	-
CBN	ND	ND	ND	ND	-	-	-
Total THC	0.86	0.086	0.78	47.07	-	-	-
Total CBD	8.70	0.870	7.95	477.26	-	-	-
Total Cannabinoids	10.12	1.012	9.25	555.22	-	-	-
Sum of Cannabinoids	10.12	1.012	9.25	555.22	-	-	-
Label Claims	1ml= 0.42mg THC &	8.3mg CBD					
Package Weight (g)	54.8760						
g/ml Conversion	0.9146						

#### ND = None Detected

Factor

LOD = Limit of Detection (0.067 mg/g) LOQ = Limit of Quantitation (0.02 mg/g) Total THC =  $\Delta$ 8-THC +  $\Delta$ 9-THC + (0.877 \* THCA) Total CBD = CBD + (0.877 \* CBDA) Total Cannabinoids =  $\Sigma$  (neutral cannabinoids) + [0.877 \*  $\Sigma$  (acidic cannabinoids)]

### Microbiological Screen Service Pass

Analyte	Method	Findings	Status
Salmonella	AOAC 2016.01	Negative/25g	Pass
STEC	3M MDS STEC	Negative/25g	Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1223775 Lot #: VCBD050124D Page **1** of **4** Report ID: S-4

06/08/2024

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.

06/08/2024

**Pass** 



### Pesticide Residue Screen Ø Pass

06/08/2024

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.02/0.06	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.017/0.05	ND	5.0	Pass
Aldicarb	0.02/0.06	ND	0.02	Pass
Azoxystrobin	0.02/0.06	ND	40.0	Pass
Bifenazate	0.02/0.06	ND	5.0	Pass
Bifenthrin		ND		
	0.04/0.10		0.5	Pass
Boscalid	0.02/0.06	ND	10.0	Pass
Captan	0.2/0.6	ND	5.0	Pass
Carbaryl	0.02/0.06	ND	0.5	Pass
Carbofuran	0.017/0.05	ND	0.017	Pass
Chlorantraniliprole	0.02/0.06	ND	40.0	Pass
Chlordane	0.02/0.06	ND	0.02	Pass
Chlorfenapyr	0.02/0.06	ND	0.02	Pass
Chlorpyrifos	0.02/0.06	ND	0.02	Pass
Clofentezine	0.02/0.06	ND	0.5	Pass
Coumaphos	0.02/0.06	ND	0.02	Pass
Cyfluthrin	0.10/0.30	ND	1.0	Pass
Cypermethrin	0.10/0.30	ND	1.0	Pass
Daminozide	0.017/0.05	ND	0.017	Pass
DDVP (Dichlorvos)	0.013/0.04	ND	0.017	Pass
Diazinon	0.017/0.05	ND	0.2	Pass
Dimethoate	0.017/0.05	ND	0.017	Pass
Dimethomorph	0.017/0.05	ND	20.0	Pass
Ethoprop(hos)	0.02/0.06	ND	0.02	Pass
Etofenprox	0.02/0.06	ND	0.02	Pass
Etoxazole	0.02/0.06	ND	1.5	Pass
Fenhexamid	0.017/0.05	ND	10.0	Pass
Fenoxycarb	0.02/0.06	ND	0.02	Pass
Fenpyroximate	0.02/0.06	ND	2.0	Pass
Fipronil	0.02/0.06	ND	0.02	Pass
Flonicamid	0.02/0.06	ND	2.0	Pass
Fludioxonil	0.02/0.06	ND	30.0	Pass
			2.0	
Hexythiazox	0.02/0.06	ND		Pass
Imazalil	0.02/0.06	ND	0.02	Pass
Imidacloprid	0.02/0.06	ND	3.0	Pass
Kresoxim Methyl	0.02/0.06	ND	1.0	Pass
Malathion	0.017/0.05	ND	5.0	Pass
Metalaxyl	0.017/0.05	ND	15.0	Pass
Methiocarb	0.02/0.06	ND	0.02	Pass
Methomyl	0.013/0.04	ND	0.1	Pass
Methyl parathion	0.02/0.06	ND	0.02	Pass
Mevinphos	0.02/0.06	ND	0.02	Pass
Myclobutanil	0.02/0.06	ND	9.0	Pass
Naled	0.017/0.05	ND	0.5	Pass
Oxamyl	0.013/0.04	ND	0.2	Pass
Paclobutrazol		ND	0.02	
	0.02/0.06			Pass
Pentachloronitrobenzene	0.017/0.05	ND	0.2	Pass
Permethrins	0.10/0.30	ND	20.0	Pass
Phosmet	0.02/0.06	ND	0.2	Pass
Piperonyl Butoxide	0.02/0.06	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.02/0.06	ND	20.0	Pass
Propoxur	0.013/0.04	ND	0.013	Pass
Pyrethrins	0.15/0.50	ND	1.0	Pass
Pyridaben	0.017/0.05	ND	3.0	Pass
Spinetoram	0.02/0.06	ND	3.0	Pass
Spinosad	0.02/0.06	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
	0.02/0.06	ND	13.0	
Spirotetramat				Pass
Spiroxamine	0.017/0.05	ND	0.017	Pass
Tebuconazole	0.02/0.06	ND	2.0	Pass
Thiacloprid	0.013/0.04	ND	0.013	Pass
Thiamethoxam	0.02/0.06	ND	4.5	Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124 Sample #: 1223775 Lot #: VCBD050124D Page **2** of **4** Report ID: S-4

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.



Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Trifloxystrobin	0.02/0.06	ND	30.0	Pass

### **Residual Solvent Screen O** Pass

MF-CHEM-32 Method:

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.5/0.5	ND	1	Pass
Acetone	57/200	ND	5000	Pass
Acetonitrile	56/200	ND	410	Pass
Benzene	0.5/0.5	ND	1	Pass
n-Butane	45/200	ND	5000	Pass
Chloroform	0.5/0.5	ND	1	Pass
Ethanol	37/200	ND	Not Applicable	Pass
Ethylacetate	38/200	ND	5000	Pass
Ethyl ether	37/200	ND	5000	Pass
Ethylene oxide	0.1/0.5	ND	1	Pass
n-Heptane	135/200	ND	5000	Pass
n-Hexane	49/200	ND	290	Pass
Isopropyl alcohol	57/200	ND	5000	Pass
Methanol	37/200	ND	3000	Pass
Methylene chloride	0.1/0.5	ND	1	Pass
n-Pentane	37/200	ND	5000	Pass
Propane	72/200	ND	5000	Pass
Toluene	49/200	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	58/200	ND	2170	Pass
Trichloroethylene	0.5/0.5	ND	1	Pass

06/08/2024

06/08/2024

#### Method: MF-CHEM-16

Heavy Metal Screen **O** Pass

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.125	ND	0.5	Pass

# Foreign Material **O** Pass

Method: MF-MACRO-5

Analyte	Findings	Limit	Status	
Sand, Soils, Cinders, and Dirt	ND	25%	Pass	
Mold	ND	25%	Pass	
Imbedded Foreign Material	ND	25%	Pass	
Insect Fragment	ND	1 per 3g	Pass	
Hair	ND	1 per 3g	Pass	
Mammalian Excreta	ND	1 per 3g	Pass	

## Mycotoxin Screen 🔮 Pass

MF-CHEM-13 Method:

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	2/5	ND	-	-
Aflatoxin B2	2/5	ND	-	-
Aflatoxin G1	2/5	ND	-	-
Aflatoxin G2	2/5	ND	-	-
Total Aflatoxins	8/20	ND	20	Pass
Ochratoxin A	6/18	ND	20	Pass

Anresco Laboratories www.anresco.com 1375 Van Dyke Ave, San Francisco, CA 94124

Sample #: 1223775 Lot #: VCBD050124D

Page 3 of 4 Report ID: S-4

This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. If you have received this document in error, please immediately notify us and return it to the address listed above.

06/08/2024

06/08/2024



ND = None Detected LOD = Limit of Detection LOD = Limit of Quantitation

All LQC samples were performed and met the acceptance criteria in CCR Title 4 Division 19. Chapter 6. Article 7. §15730. pursuant to §15726.(e)(13).

Reported by



Senior Chemist June 09, 2024

Sample #: 1223775 Lot #: VCBD050124D

Anresco Laboratories www.anresco.com

1375 Van Dyke Ave, San Francisco, CA 94124





Scan to verify